Type	Hits	Search Text	DBs	Time Stamp	Comments
1 BRS	0	vector$1 with network$1 with analyzer41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:13	
2 BRS	2616	voltage$1 with ((standing adj wave) or standing-wave) with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:14	
3 BRS	4566	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:44	
4 BRS	19	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain adj reflectometry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:25	
5 BRS	6	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain adj reflectometry and network with analy$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	2	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain with reflect$6 and network with analy$4 with discontinu$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:19	
7	BRS	3	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain with reflect$6 and network with analy$4 with (discontinu$5 or loss$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:22	
8	BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) or with (lobe or peak or minima or maxima) and time adj domain with reflect$6 and network with analy$4 with (discontinu$5 or loss$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:24	

Type	Hits	Search Text	DBs	Time Stamp	Comments
BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) or same (lobe or peak or minima or maxima) and time adj domain with reflect$6 and network with analy$4 with (discontinu$5 or loss$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:24	
BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) or same (lobe or peak or minima or maxima) and time adj domain with reflect$6 and network with analy$4 with (discontinu$5 or dis-continu$5or loss$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:25	
BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) or same (lobe or peak or minima or maxima) and time adj domain same reflect$6 and network with analy$4 with (discontinu$5 or dis-continu$5or loss$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	

Row numbers: 9, 10, 11

Type	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect$6 and network with analy$4 with (discontinu$5 or dis-continu$5or loss$2) and (lobe or peak or minima or maxima)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	
13	BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect$6 and network with analy$4 with (discontinu$5 or dis-continu$5or loss$2) and (lobe$1 or peak$1 or minima$1 or maxima$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	
14	BRS	6	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain same reflect$6 and network with analy$4 same (discontinu$5 or dis-continu$5or loss$2) and (lobe$1 or peak$1 or minima$1 or maxima$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:26	

Type	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	1	"6329805".PN.	USPAT; USOCR	2005/01/31 08:28	
16	BRS	1	"5003253".PN.	USPAT; USOCR	2005/01/31 08:28	
17	BRS	1	"4758775".PN.	USPAT; USOCR	2005/01/31 08:28	
18	BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time with domain with reflect$6 and network with analy$4 with (determin$3 or identify$3) with (discontinu$5 or loss$2 or lost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:30	
19	BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time with domain with measur$6 and network with analy$4 with (determin$3 or identify$3) with (discontinu$5 or loss$2 or lost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:31	

Type	Hits	Search Text	DBs	Time Stamp	Comments
20 BRS	2	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time with domain with measur$6 and network with analy$4 same (determin$3 or identify$3) with (discontinu$5 or loss$2 or lost)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:38	
21 BRS	13	Network with analy$3 with measur$6 with antenna with loss$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 08:39	
22 BRS	2	Network with analy$3 with measur$6 with antenna with loss$2 and time with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 08:39	
23 BRS	3	Network with analy$3 same measur$6 with antenna with loss$2 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 08:41	
24 BRS	11	Network with analy$3 with measur$6 with loss$2 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 08:43	

Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	3	Network with analy$3 with measur$6 with loss$2 and (time-domain or time with domain) and antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:42	
26	BRS	3	Network with analy$3 with measur$6 with loss$2 and (time-domain or time with domain) and antenna$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 08:42	
27	BRS	79	Network with analy$3 and measur$6 with loss$2 and (time-domain or time with domain) and transmit$4 with receiv$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:44	
28	BRS	12	Network with analy$3 and measur$6 with loss$2 and (time-domain or time with domain) and transmit$4 with receiv$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:47	

Type	Hits	Search Text	DBs	Time Stamp	Comments
29 BRS	0	Network with analy$3 and (determin$3 or identify$3) with measur$6 with loss$2 and (time-domain or time with domain) and transmit$4 with receiv$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:45	
30 BRS	0	Network with analy$3 and (determin$3 or identify$3) with loss$2 and (time-domain or time with domain) and transmit$4 with receiv$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:45	

Type	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS	11	Network with analy$3 and measur$6 with loss$2 and (time-domain or time with domain) and transmit$4 with receiv$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and reflect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:49	
32	BRS	2	Network with analy$3 and measur$6 with loss$2 same (time-domain or time with domain) with reflect$6 and transmit$4 with receiv$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:50	
33	BRS	6	Network with analy$3 and measur$6 with loss$2 and (time-domain or time with domain) with reflect$6 and transmit$4 with receiv$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	2	Network with analy$3 and loss$2 with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) with reflect$6 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:53	
35	BRS	3	Network with analy$3 and loss$2 with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) with reflect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:54	
36	BRS	3	Network with analy$3 and loss$2 with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) same reflect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:54	
37	BRS	6	Network with analy$3 and loss$2 with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:57	

Type	Hits	Search Text	DBs	Time Stamp	Comments
38 BRS	2	Network with analy$3 and loss$2 with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 08:58	
39 BRS	2	Network with analy$3 and (discontinu$5 or dis-continu$5 or loss$2) with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:17	
40 BRS	5	Network with analy$3 and (discontinu$5 or dis-continu$5 or loss$2) with transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) and ratio with wave$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:01	

Type	Hits	Search Text	DBs	Time Stamp	Comments
		Network with analy$3 and (discontinu$5 or dis-continu$5 or loss$2) with transmit$4 with receiv$3 and reflect$6 with (time-domain or time with domain) and ratio with wave$1			
41	BRS	7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:10	
42	BRS	2	"20030033099"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:09	
43	BRS	14	Network with analy$3 and (determin$3 or identify$3) with (discontinu$5 or dis-continu$5 or loss$2) and transmit$4 with receiv$3 and reflect$6 with (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:46	

Type	Hits	Search Text	DBs	Time Stamp	Comments
44	BRS	6	Network with analy$3 and (determin$3 or identify$3) with (offset$1 or deviat$3 or differen$2 or discontinu$5 or dis-continu$5 or loss$2) with transmit$4 with receiv$3 and reflect$6 with (time-domain or time with domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:44	
45	BRS	7052	455/423-425,522,67.11,67.14,67.16, 69,70,101,103,115.1-115.4,132-134.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:33	
46	BRS	8153	455/423-425,522,67.11,67.14,67.16, 69,70,101,103,115.1-115.4,132-134,226.1-226.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:33	
47	BRS	8292	455/423-425,522,67.11,67.14,67.16, 69,70,101,103,115.1-115.4,132-134,226.1-226.4,236.1-237.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:33	
48	BRS	8679	455/423-425,522,67.11,67.14,67.16, 69,70,101,103,115.1-115.4,132-134,226.1-	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:34	

Type	Hits	Search Text	DBs	Time Stamp	Comments
49 BRS	352	702/106,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:54	
50 BRS	0	"6842614".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:45	
51 BRS	7	Network with analy$3 same (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2) and transmit$4 with receiv$3 and reflect$6 with (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:37	
52 BRS	632	702/76,106,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:01	
53 BRS	977	324/76.12,76.39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 09:55	

Type	Hits	Search Text	DBs	Time Stamp	Comments
54 BRS	27	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain with reflect$6 and network with analy$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:05	
55 BRS	4	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same time adj domain with reflect$6 and network with analy$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:05	
56 BRS	74	Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2) and transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:43	

Type	Hits	Search Text	DBs	Time Stamp	Comments
57 BRS	10	Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2) and transmit$4 with receiv$3 with reflect$6 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:46	
58 BRS	0	vector$1 with Network with analy$3 same (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:47	

Type	Hits	Search Text	DBs	Time Stamp	Comments
59 BRS	6	vector$1 with Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2) and transmit$4 with receiv$3 with reflect$6 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:49	
60 BRS	2	vector$1 with Network with analy$3 with (vswr or (voltage$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:48	
61 BRS	0	vector$1 with Network with analy$3 same (vswr or (voltage$1 adj ((standing adj wave) or standing- wave) adj ratio)) and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	28	vector$1 with Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2) and ((vswr or (voltage$1 adj (vswr or (voltage$1 adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:50	
63	BRS	0	vector$1 with Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2) with transmit$4 with reflect$6 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing- wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:58	

Type	Hits	Search Text	DBs	Time Stamp	Comments
64	BRS	0	vector$1 with Network with analy$3 and (discontinu$5 or dis-continu$5 or loss$2) with transmit$4 with reflect$6 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 10:58	
65	BRS	3	vector$1 with Network with analy$3 and (discontinu$5 or dis-continu$5 or loss$2) with transmit$4 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:00	

Type	Hits	Search Text	DBs	Time Stamp	Comments
66 BRS	3	vector$1 with Network and (discontinu$5 or dis-continu$5 or loss$2) with transmit$4 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:00	
67 BRS	3	vector$1 with Network and (discontinu$5 or dis-continu$5 or loss$2 or interfer$4) with transmit$4 and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:48	

Type	Hits	Search Text	DBs	Time Stamp	Comments
68 BRS	0	vector$1 with Network same (discontinu$5 or dis-continu$5 or loss$2 or interfer$4) and (time-domain or time with domain) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:29	
69 BRS	1	vector$1 with Network same (discontinu$5 or dis-continu$5 or loss$2 or interfer$4) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:30	
70 BRS	4	vector$1 with Network same (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (discontinu$5 or dis-continu$5 or loss$2 or interfer$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:33	

Type	Hits	Search Text	DBs	Time Stamp	Comments
71 BRS	4	vector$1 with Network same (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:33	
72 BRS	50	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) or (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:34	
73 BRS	0	vector$1 with Network with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:34	

Type	Hits	Search Text	DBs	Time Stamp	Comments
BRS 74	1	vector$1 with Network same (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3) and (vswr or (voltage$1 adj (standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:35	
BRS 75	284	vector$1 with Network same (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:35	
BRS 76	119	vector$1 with Network with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:36	
BRS 77	14	vector$1 with Network with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3) and reflect$5 with transmit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:43	

Type	Hits	Search Text	DBs	Time Stamp	Comments
78	BRS	3	vector$1 with Network with (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3) and reflect$5 with transmit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:44	
79	BRS	5	vector$1 with Network same (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3) and reflect$5 with transmit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:47	
80	BRS	2	vector$1 same Network with analy$3 same (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3) and reflect$5 with transmit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:48	
81	BRS	54	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:57	

Type	Hits	Search Text	DBs	Time Stamp	Comments
82	BRS	2	vector$1 with Network with (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:58	
83	BRS	4	vector$1 with Network same (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 11:56	

Type	Hits	Search Text	DBs	Time Stamp	Comments
84 BRS	15	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$$2 or interfer$4 or dismatch$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:00	
85 BRS	15	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$$2 or interfer$4 or dismatch$3 or delay$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:39	

Type	Hits	Search Text	DBs	Time Stamp	Comments
86 BRS	7	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and transmit$4 with receiv$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:05	
87 BRS	10	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and (time- domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:11	

Type	Hits	Search Text	DBs	Time Stamp	Comments
BRS	13	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:05	
BRS	13	vector$1 with Network and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:06	

89

88

Type	Hits	Search Text	DBs	Time Stamp	Comments
BRS	12	vector$1 same Network with analy$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:08	
90					
BRS	7	vector$1 same Network with analy$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:42	
91					

Type	Hits	Search Text	DBs	Time Stamp	Comments
92 BRS	0	vector$1 with Network same (identify$3 or determin$3) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:11	
93 BRS	2	vector$1 with Network same (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:30	
94 BRS	0	vector$1 with Network same (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1) and transmit$4 with receiv$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:13	

Type	Hits	Search Text	DBs	Time Stamp	Comments
95 BRS	1	vector$1 with Network same (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1) and transmit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:14	
96 BRS	19	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and time adj domain adj reflectometry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:23	
97 BRS	1	vector$1 with Network same (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1) and measur$6 with transmit$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:35	

Type	Hits	Search Text	DBs	Time Stamp	Comments
98	BRS	0	vector$1 with Network same (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$3 with (time-domain$1 or time adj domain$1) and antenna with feed$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:35	
99	BRS	1	vector$1 with Network same (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and (time-domain$1 or time adj domain$1) and antenna with feed$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:35	
100	BRS	18	"5307284".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:40	

Type	Hits	Search Text	DBs	Time Stamp	Comments
101 BRS	0	"5307284".uref. and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:41	
102 BRS	7	"5307284".uref. and display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:41	
103 BRS	2	vector$1 same Network with analy$3 and reflect$3 with (time-domain$1 or time adj domain$1) and user with interface with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:47	
104 BRS	0	vector$1 same Network with analy$3 with user with interface with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:46	
105 BRS	5	vector$1 same Network with analy$3 same user with interface with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:46	
106 BRS	56	vector$1 same Network with analy$3 and user with interface with display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 12:46	

Type		Hits	Search Text	DBs	Time Stamp	Comments
107	BRS	2	vector$1 same Network with analy$3 and user with interface with display$3 and reflect$3 with (time-domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:49	
108	BRS	8	vector$1 same Network with analy$3 with display$3 and reflect$3 with (time-domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 12:50	
109	BRS	11	Network with analyz$3 and (time adj domain$1 or time-domain$1) with reflect$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:14	
110	BRS	39	vector$1 adj Network adj analyz$3 and (time adj domain$1 or time-domain$1) with reflect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:01	
111	BRS	34	"4630228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
112	BRS	9	"4630228" and network$1 with analyz$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:15	
113	BRS	2	"4630228" and network$1 with analyz$3 and (time-domain$1 or time-domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:15	
114	BRS	46	vector$1 with Network with analy$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:17	
115	BRS	7	vector$1 with Network with analy$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and (time-domain$1 or time adj domain$1 or time adj reflect$3 with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:19	

Type	Hits	Search Text	DBs	Time Stamp	Comments
116 BRS	19	vector$1 with Network with analy$3 and (vswr or (voltage$1 adj ((standing- adj wave) or standing- wave) adj ratio)) and reflect$3 and transmit$4 same receiv$3 and (time- domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:24	
117 BRS	14	vector$1 with Network with analy$3 and (vswr or (voltage$1 adj ((standing adj wave) or standing- wave) adj ratio)) and reflect$3 same (time- domain$1 or time adj domain$1) and transmit$4 same receiv$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:24	
118 BRS	3	vector$1 with Network with analy$4 and (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) with reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 13:42	

Type	Hits	Search Text	DBs	Time Stamp	Comments
119 BRS	14	vector$1 with Network with analy$4 and (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) same reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 08:22	
120 BRS	1	vector$1 with Network with analy$4 same (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis- continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:23	

Type	Hits	Search Text	DBs	Time Stamp	Comments
121 BRS	0	vector$1 with Network with analy$4 same (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) with (peak$1 or maxima$1 or minima$1) and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:24	
122 BRS	0	vector$1 with Network with analy$4 and (identify$3 or interfer$4 or dismatch$3 or determin$3 or mesur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1) with (peak$1 or maxima$1 or minima$1) and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:24	

Type	Hits	Search Text	DBs	Time Stamp	Comments
123 BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and time adj domain adj reflectometry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:26	
124 BRS	2	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and (time-domain$1 or time with domain$1) with reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:42	
125 BRS	0	"4630228".uref. and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and (time-domain$1 or time with domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:42	

Type	Hits	Search Text	DBs	Time Stamp	Comments
126 BRS	0	"4630228".uref. and (vswr or (voltage$1 adj or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:43	
127 BRS	151	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:04	
128 BRS	11	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:46	

Type	Hits	Search Text	DBs	Time Stamp	Comments
129 BRS	1	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1) and (time-domain$1 or time with domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:59	
130 BRS	1	"4440985".PN.	USPAT; USOCR	2005/01/31 14:58	
131 BRS	1	"4313169".PN.	USPAT; USOCR	2005/01/31 14:58	
132 BRS	6	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and (time-domain$1 or time with domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 14:59	

Type	Hits	Search Text	DBs	Time Stamp	Comments
133 BRS	768	702/59,76,106,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:03	
134 BRS	2163	convert$3 with (time-domain$1 or time adj domain$1) with (frequency-domain$1 or frequency adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:04	
135 BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with (peak$1 or lobe$1 or maxima$1 or minima$1) and convert$3 with (time-domain$1 or time adj domain$1) with (frequency-domain$1 or frequency adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:04	

Type	Hits	Search Text	DBs	Time Stamp	Comments
136 BRS	33	vector$1 with Network and (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1) and convert$3 with (time-domain$1 or time adj domain$1) with (frequency-domain$1 or frequency adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:17	
137 BRS	18	vector$1 with Network with transmission with line with analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:52	
138 BRS	0	(vna or (vector$1 with Network)) with transmission adj line adj analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:53	
139 BRS	19	(vna or (vector$1 with Network)) with transmission with line with analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/31 15:54	

Type	Hits	Search Text	DBs	Time Stamp	Comments
140 BRS	0	(vna or (vector$1 with Network)) same transmission adj line adj analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:55	
141 BRS	0	(vna or (vector$1 with Network)) and transmission adj line adj analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:55	
142 BRS	0	vector$1 with transmission adj line adj analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:55	
143 BRS	0	vector$1 same transmission adj line adj analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:57	
144 BRS	23	vector$1 same transmission with line with analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:56	
145 BRS	9	transmission adj line adj analyzer$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 15:57	

Type	Hits	Search Text	DBs	Time Stamp	Comments
146 IS&R	2	("5642039").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/31 16:29	
147 BRS	37	vector$1 with Network with analy$4 and (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1) and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:02	
148 BRS	10	vector$1 with Network with analy$4 and (identify$3 or determin$3 or mesur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1) and reflect$ with (time-domain$1 or time adj domain$1) and transmit$4 with receiv$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 08:49	

Type	Hits	Search Text	DBs	Time Stamp	Comments
149 BRS	10	vector$1 with Network with reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:03	
150 BRS	0	vector$1 with Network with analy$4 with user with interface with display$3 with processor and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:04	
151 BRS	0	vector$1 with Network with analy$4 and user with interface with display$3 with processor and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		
152 BRS	10	vector$1 with Network with analy$4 and user with interface same display$3 with processor and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:30	

Type	Hits	Search Text	DBs	Time Stamp	Comments
153 IS&R	4	("4244024").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:10	
154 BRS	16	vector$1 with Network and (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1) and (time-domain$1 or time adj domain$1) and (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:17	
155 BRS	0	vector$1 with Network with user with interface same displays$3 and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:31	
156 BRS	0	vector$1 with Network same user with interface with displays$3 and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:32	

Type	Hits	Search Text	DBs	Time Stamp	Comments
157 BRS	3	vector$1 with Network and user with interface with display$3 and reflect$ with (time-domain$1 or time adj domain$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:35	
158 BRS	4	vector$1 with Network and user with interface with display$3 and (TDR or (reflect$ with (time-domain$1 or time adj domain$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:35	
159 BRS	4	vector$1 with Network and user$1 with interface with display$3 and (TDR or (reflect$ with (time-domain$1 or time adj domain$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:39	
160 BRS	17	vector$1 with Network and user$1 with interface same display$3 and (TDR or (reflect$ with (time-domain$1 or time adj domain$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 09:40	

Type	Hits	Search Text	DBs	Time Stamp	Comments
161 BRS	17	vector$1 with Network$1 and user$1 with interface same display$3 and (TDR or (reflect$ with (time-domain$1 or time adj domain$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 11:46	
162 BRS	1	vector$1 with Network$1 and user$1 with interface same display$3 and (TDR or (reflect$ with (time-domain$1 or time adj domain$1)) and electromagnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:11	
163 BRS	0	display$3 with user$1 with interface with scrollable with marker$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:12	
164 BRS	59	display$3 with user$1 with interface with scrollable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:12	
165 BRS	3	visual with display$3 with user$1 with interface with scrollable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 15:54	

Type	Hits	Search Text	DBs	Time Stamp	Comments
166 BRS	24	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:32	
167 BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) adj lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:26	
168 BRS	0	measurement$1 with (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:33	
169 BRS	0	measurement$1 with (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:33	
170 BRS	1	measur$6 with (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:36	

Type	Hits	Search Text	DBs	Time Stamp	Comments
171 BRS	3	measur$6 same (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:39	
172 BRS	58	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:41	
173 BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe$1 and ((time adj domain$1) or time-domain$1) with reflect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:41	
174 BRS	1	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) same lobe$1 and network with analy$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:44	
175 BRS	195	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with return with loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:45	

Type	Hits	Search Text	DBs	Time Stamp	Comments
176 BRS	0	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with return with loss with lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 12:45	
177 BRS	2	(vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) with return with loss same lobe$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:23	
178 BRS	112	((return adj loss) or (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio)) and vector$1 with network with analy$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:25	
179 BRS	53	((return adj loss) or (vswr or (voltage$1 adj ((standing adj wave) or standing-wave) adj ratio))) and vector$1 with network with analy$4 and (time-domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:27	

Type	Hits	Search Text	DBs	Time Stamp	Comments
180 BRS	46	S183 and (identify$3 or determin$3 or measur$6) with (discontinu$5 or loss$2 or continu$5 or dis-interfer$4 or dismatch$3 or delay$1 or fault$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:27	
181 BRS	24	((return adj loss) or (vswr or (voltage$1 adj standing-wave) adj (standing adj wave) or ratio))) with (identify$3 or determin$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2 or interfer$4 or dismatch$3 or delay$1 or fault$1) and vector$1 with network with analy$4 and (time-domain or time adj domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:28	
182 IS&R	2	("5307284").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 13:42	

Type	Hits	Search Text	DBs	Time Stamp	Comments
183 BRS	0	display$3 with user$1 with interface with scrollable and marker with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:55	
184 BRS	0	display$3 with scrollable and marker with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:55	
185 BRS	8	display$3 with scrollable and mark$3 with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:56	
186 BRS	2	display$3 with scrollable and (marker$1 or marking) with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:58	
187 BRS	0	display$3 and user with interface and scrollable with (marker$1 or marking) with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:59	
188 BRS	0	display$3 and user with interface and scrollable same (marker$1 or marking) with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/01 15:59	

Type	Hits	Search Text	DBs	Time Stamp	Comments
189 BRS	8	display$3 and user with interface and scrollable and (marker$1 or marking) with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 16:02	
190 BRS	0	display$3 and user with interface and scroll1$4 with (marker$1 or marking) with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 16:02	
191 BRS	6	display$3 and user with interface and scroll1$4 same (marker$1 or marking) with shape$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/01 16:02	
192 BRS	0	vector with Network with electromagnetic with reflect$3 with discontinuit$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:41	
193 BRS	0	vector with Network with analy$3 and display$3 with reflect$3 with (discontinu$5 or dis-continu$5 or loss$2) with time and electromagnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:42	

Type	Hits	Search Text	DBs	Time Stamp	Comments
194 BRS	0	vector with Network with analy$3 and display$3 same reflect$3 with (discontinu$5 or dis-continu$5 or loss$2) with time and electromagnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:43	
195 BRS	2	Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis-continu$5 or loss$2) and reflect$6 and (time-domain or time with domain) and electromagnetic with (coherent or cancel$3 or orthogonal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:46	

Type	Hits	Search Text	DBs	Time Stamp	Comments
196 BRS	1	Network with analy$3 and (determin$3 or identify$3 or measur$6) with (discontinu$5 or dis- continu$5 or loss$2 or fault$1) and reflect$6 and (time-domain or time with domain) and (display$3 or output$3) same electromagnetic with (coherent or cancel$3 or orthogonal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 08:47	
197 IS&R	2	("6842614").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 09:45	